

**ENZYMATIC HYDROLYSIS AND YEAST
FERMENTATION OF OKARA**

SAADIAH BINTI RAMLI

**UNIVERSITI SAINS MALAYSIA
JUNE 2020**



**PUSAT PENGAJIAN TEKNOLOGI INDUSTRI
UNIVERSITI SAINS MALAYSIA**

**BORANG PENYERAHAN DISERTASI MUTAKHIR
SATU (1) NASKHAH**

Nama Penyelia: DR TAN JOO SHUN

Bahagian: TEKNOLOGI BIOPROSES

Saya telah menyemak semua pembetulan/pindaan yang dilaksanakan oleh
Encik/Puan/Cik SAADIAH BINTI RAMLI

mengemui disertasinya sebagaimana yang dipersetujui oleh Panel Pemeriksa di Viva Vocenya.

2. Saya ingin mengesahkan bahawa saya berpuashati dengan pembetulan/pindaan yang dilaksanakan oleh calon.

Sekian, terima kasih.


DR. TAN JOO SHUN
Pensyarah Kanan
Pusat Pengajian Teknologi Industri
Universiti Sains Malaysia
(Tandatangan dan Cop)
11800 Pulau Pinang, Malaysia
Tel: 04-653 6376

16/7/2020

Tarikh



ENZYMATIC HYDROLYSIS AND YEAST FERMENTATION OF OKARA

by

SAADIAH BINTI RAMLI

A dissertation submitted in the partial fulfillment of the requirements for the degree of
Bachelor of Technology (B.Tech) in the field of Bioprocess Technology


School of Industrial Technology

Universiti Sains Malaysia

June 2020

DECLARATION BY AUTHOR

This dissertation is consisting of my original work and does not contains any material that has been previously published or written by another person except where due reference has been made in the text. The content of my dissertation is the result of work I have done since the beginning of my research project and does not include a substantial part of the work that has been submitted in any university or other tertiary institution to qualify for the award of any other degree or diploma.



.....
SAADIAH BINTI RAMLI

JUNE 2020

ACKNOWLEDGEMENT

First of all, I would like to express my sincere thanks to my main project supervisor, Dr. Tan Joo Shun and co-supervisors, Madam Wan Zafira Ezza and Prof. Dr. Rosma Ahmad for their painstaking guidance, wise advise, and encouragement throughout my final year project and preparation of this dissertation. I really appreciate their tonner of personal advice and support in my journey to finish up my project. Without their guidance, this work would not have been completed successfully.

Secondly, I would also like to extend my sincere thanks to all the staff of Industrial Technology, especially laboratory assistant of the Bioprocess Division, Mr. Azmaizan Yaakub and Mrs. Najmah Hamid for tremendous amount of helps in providing sufficient materials and apparatus throughout my final year project. They always spending their valuable time to help me during my difficult time while conducting this project, and without their help I think I could not even manage to complete this project.

I am not forgetting to thank all my classmates who supported me, staying with me through up and down and giving me a lot of encouragement during my research study. I will not forget their guidance and advice for me throughout this four-year degree, and I truly hope we will succeed in a future.

Last but not least, I would like to take this opportunity to thank postgraduate students for their dedicated guidance. Then, my deepest gratitude to my beloved family for their love, moral support, and encouragement throughout my research journey. Thank you for trusting me to always do the best for my project.

SAADIAH BINTI RAMLI

JUNE 2020

TABLE OF CONTENTS

	Page
Declaration by author	ii
Acknowledgement	iii
Table of Contents	iv
List of Tables	vii
List of Figures	ix
List of Symbols	x
List of Abbreviations	xi
Abstrak	xiii
Abstract	xiv
CHAPTER 1 INTRODUCTION	
1.1 Research background	1
1.2 Problem Statement	3
1.3 Research objectives	3
CHAPTER 2 LITERATURE REVIEW	
2.1 Okara	4
2.1.1 Composition of okara	4
2.1.2 Application of okara	6
2.2 Type of hydrolysis	7
2.2.1 Enzymatic hydrolysis	7
2.2.2 Acid hydrolysis	9
2.3 Response Surface Methodology (RSM)	12
2.3.1 Response Surface Methodology (RSM) package for R	12
2.4 Fermentation of okara	13

2.4.1 Yeast	13
2.4.2 Bacteria	16
2.4.3 Fungal	18
2.5 Application of fermented okara	20
CHAPTER 3 MATERIALS AND METHOD	
3.1 Flow chart of research methodology	22
3.2 Preparation of okara	23
3.3 Preliminary screening of enzymatic hydrolysis parameter	23
3.3.1 (a) Determination of optimum enzyme concentration	23
3.3.1 (b) Determination of optimum temperature	24
3.3.1 (c) Determination of optimum pH	24
3.3.2 Optimization of enzymatic hydrolysis condition for maximum total sugar content using RSM	24
3.4 Okara slurry and enzymatic hydrolysis under optimized condition	27
3.5 Yeast fermentation	27
3.6 Analytical method	28
3.6.1 Cell viability	28
3.6.2 Determination of reducing sugar content	28
3.6.3 Determination of sugar composition	28
3.6.4 Determination of protein content	29

CHAPTER 4 RESULT AND DISCUSSION	
4.1 Screening of factors to determine the significant factors toward total sugar content	31
4.1.1 Effect of various enzyme concentration on total sugar production	31
4.1.2 Effect of various temperature on total sugar production	32
4.1.3 Effect of various pH on total sugar production	33
4.2 Optimization of parameters for total sugar production	33
4.2.1 Model fitting and ANOVA	35
4.2.2 Model interpretation	40
4.2.3 Achieving optimum conditions and model validation	45
4.3 Fermentation of pretreated okara by <i>S. cerevisiae</i>	46
4.3.1 Cell viability and total sugars	46
4.3.2 Sugar composition	48
4.3.3 Total protein content	49
CHAPTER 5 CONCLUSION AND RECOMMENDATION	
5.1 Conclusion	50
5.2 Recommendation for future research	51
REFERENCES	53
APPENDICES	60

LIST OF TABLES

Table	Caption	Page
2.1	General composition of okara.	5
2.2	Summary of various enzymatic hydrolysis studied and their applications.	9
2.3	Summary of various acid hydrolysis studied and their applications.	11
2.4	Summary of various studies on yeast fermentation of okara	15
2.5	Summary of various studies on bacterial fermentation of okara	17
2.6	Summary of various studies on fungal fermentation of okara	19
3.1	Test variables and levels of Box-Behnken design (BBD)	25
3.2	Box-Behnken design (BBD) of experimental design.	25
4.1	The absorbance reading and amount of total sugar at various enzyme concentration	32
4.2	Analysis of various enzyme concentrations on total sugar production using one-way ANOVA	32
4.3	The absorbance reading and amount of total sugar at various temperature	33
4.4	Analysis of various temperature on total sugar production using one-way ANOVA	33
4.5	The absorbance reading and amount of total sugar at various pH	34
4.6	Analysis of various pH on total sugar production using one-way ANOVA	34
4.7	Experimental results at various enzyme concentrations, temperature, and pH on total sugar content (ug/mL) by BBD	35
4.8	ANOVA of the second-order polynomial model	36

4.9	Estimated regression coefficient of the second-order polynomial model	37
4.10	Optimized enzymatic hydrolysis conditions, predicted and experimental values for total sugar content ($\mu\text{g/mL}$) by enzymatic hydrolysis	45
4.11	Composition of neutral sugar on fermented okara.	49

LIST OF FIGURES

Figures	Caption	Page
3.1	Overall flow chart for this research.	22
4.1	Plot shows the correlation between the actual and predicted total sugar content	39
4.2	Normal probability plot	39
4.3	A, contour plot, and B, response surface, for the effect of enzyme concentration versus temperature on total sugar content at pH 5.5	41
4.4	A, contour plot, and B, response surface, for the effect of enzyme concentration versus pH on total sugar content at temperature 25 °C	42
4.5	A, contour plot, and B, response surface, for the effect of temperature versus pH on total sugar content at enzyme concentration 5% (v/w)	44
4.6	Yeast growth curve of fermentation of pretreated okara by <i>S. cerevisiae</i> .	47
4.7	Change of total sugar over time during fermentation by <i>S. cerevisiae</i>	48

LIST OF SYMBOLS

Symbol	Caption
%	Percentage
=	Equal to
°C	Degree of celcius
>	More than
<	Less than
+	Plus
-	Minus
/	Divide

LIST OF ABBREVIATIONS

Abbreviations	Caption
mg	Milligram
g	Gram
RSM	Response Surface Methodology
ANOVA	Analysis of variance
BBD	Box-Behnken design
mL	Milliliter
pH	Potential of hydrogen
DNS	Dinitrosalicylic Acid
Rpm	Revolutions per minute
sp	Species
FBG	Fungal Beta-Glucanase
nm	Nanometer
L	Liter
μg	Microgram
v/w	Volume per weight
min	minute
h	hour
Df	Degree of freedom
R ²	Coefficient of determination

et al.

And the others

$Pr(>F)$

Probability (>F value)

HIDROLISIS ENZIMATIK DAN PENAPAIAN TERHADAP OKARA

ABSTRAK

Pengeluaran produk berasaskan kacang soya menghasilkan sisa lebihan yang tidak larut yang dipanggil okara. Pada masa ini, produk sampingan yang kaya dengan protein, lemak, dan serat ini telah dibuang sebagai sisa pertanian kerana sifatnya yang kurang baik seperti mudah membusuk dan mempunyai tinggi kandungan serat makanan yang tidak larut. Untuk mengatasi masalah ini, pemberian nilai kepada okara dengan rawatan biologi dapat menjadi salah satu pendekatan yang menjanjikan dapat meningkatkan nilai pemakanan okara. Objektif kajian ini adalah untuk menentukan keadaan optimum hidrolisis enzimatik bagi pengeluaran jumlah gula oleh Viscozyme L dan menyelidiki komposisi protein dari okara setelah penapaian oleh *Saccharomyces cerevisiae*. Pengoptimuman hidrolisis enzimatik dilakukan dengan menggunakan metodologi tindak balas permukaan, (RSM) oleh perisian R. Kesan dan interaksi ketiga-tiga pemboleh ubah; kepekatan enzim (1-5% v/w), suhu (25-50 ° C) dan pH (3.5-5.5) yang diselidiki untuk mendapatkan pengeluaran jumlah gula yang maksimum. Hasil analisis ANOVA menunjukkan pengaruh yang signifikan dari ketiga-tiga pemboleh ubah ini terhadap pengeluaran jumlah gula. Jumlah gula tertinggi, 1000 ug/mL telah diperolehi pada keadaan hidrolisis enzimatik yang optimum, 24°C, kepekatan enzim 4.8% (v/w) dan pH 5.5. Penapaian okara dengan *S. cerevisiae* menemui perubahan kemajuan yis selama 72 jam. Sel yis menggunakan jumlah gula sebagai sumber utama untuk menjalani penapaian aerobik. Penapaian okara mengandungi komposisi gula neutral termasuk sukrosa, glukosa, dan fruktosa. Jumlah kandungan protein meningkat dari 19.43% kepada 26.88% dalam keadaan kering. Oleh itu, okara yang dirawat dengan enzim dan *S. cerevisiae* dapat meningkatkan nilai dan sifat okara selepas ini.

ENZYMATIC HYDROLYSIS AND YEAST FERMENTATION OF OKARA

ABSTRACT

The production of soybean-based product results in an insoluble residue called okara. This by-product that rich in protein, fat, and fiber nowadays was discarded as an agro-waste due to its poor properties such as easily putrefy and has high content of insoluble dietary fiber. To overcome this problem, a valorization of okara by the biological treatment could become one of the promising approaches to improve the nutritional value of okara. The objectives of this study were to determine optimum enzymatic hydrolysis condition on the release of total sugar by Viscozyme L and investigate the total protein content of okara after fermentation by *Saccharomyces cerevisiae*. The optimization of the enzymatic hydrolysis was carried out using response surface methodology (RSM) by R software. The effect and interaction of three variables; concentration of enzyme (1-5% v/w), temperature (25-50°C) and pH (3.5-5.5) were investigated to obtain the maximum release of total sugar. The results of ANOVA analysis showed a significant effect of these three variables on the release of total sugar content. The highest total sugar content of 1000 ug/mL was obtained on optimal condition of enzymatic hydrolysis at 24°C, enzyme concentration of 4.8% (v/w) and pH 5.5. Fermentation of okara with *S. cerevisiae* found a change in yeast viability over 72 hours. Yeast cell utilized total sugar as the main sources to undergo aerobic fermentation. The fermentation-treated okara slurry contained a composition of neutral sugars including sucrose, glucose, and fructose. The total protein content was increased from 19.43% to 26.88% on a dry basis. Therefore, okara treated with enzyme and *S. cerevisiae* could improve the value and properties of okara afterwards.